BBA

Protein Structure & Molecular Enzymology

Vol. 1204, 1994

# Cumulative Contents

*Information for Contributors* vii

## *Regular Papers*

Purification and characterization of an aminopeptidase from tuna (*Thunnus albacares*) pyloric caeca
*M. Hajjou and Y. Le Gal (France)* 1

$^{1}H$- and $^{15}N$-NMR study of the binding of thiocyanate to chemically modified horseradish peroxidase and involvement of salt bridge
*S. Modi, D.V. Behere and S. Mitra (India)* 14

A $^{13}C$ solid-state NMR study of the structure and auto-oxidation process of natural and synthetic melanins
*M. Hervé, J. Hirschinger, P. Granger, P. Gilard, A. Deflandre and N. Goetz (France)* 19

Mini-myoglobin: native-like folding of the NO-derivative
*G. De Sanctis, G. Falcioni, F. Polizio, A. Desideri, B. Giardina, F. Ascoli and M. Brunori (Italy)* 28

Tyrosinase: kinetic analysis of the transient phase and the steady state
*J.R. Ros, J.N. Rodríguez-López and F. García-Cánovas (Spain)* 33

Elastase inhibition by the C-terminal domains of α-crystallin and small heat-shock protein
*C.E.M. Voorter, W. de Haard-Hoekman, K.B. Merck, H. Bloemendal and W.W. de Jong (The Netherlands)* 43

Identification of an IgE-binding determinant of the major allergen *Myr p I* from the venom of the Australian jumper ant *Myrmecia pilosula*
*G.R. Donovan, M.D. Street, B.A. Baldo, D. Alewood, P. Alewood and S. Sutherland (Australia)* 48

Dopachrome tautomerase decreases the binding of indolic melanogenesis intermediates to proteins
*C. Salinas, J.C. García-Borrón, F. Solano and J.A. Lozano (Spain)* 53

The complete primary structure of the long form of mouse α1(IX) collagen chain and its expression during limb development
*N. Abe, H. Yoshioka, H. Inoue and Y. Ninomiya (Japan)* 61

Primary structure and specificity of the major serine proteinase inhibitor of amaranth (*Amaranthus caudatus* L.) seeds
*J. Hejgaard, J. Dam, L.C. Petersen and S.E. Bjørn (Denmark)* 68

The primary structure of sheep liver cytosolic serine hydroxymethyltransferase and an analysis of the evolutionary relationships among serine hydroxymethyltransferases
*R. Usha, H.S. Savithri and N.A. Rao (India)* 75

Putative functions of phenylalanine-350 of *Pseudomonas putida* cytochrome $P\text{-}450_{cam}$
*T. Yasukochi, O. Okada, T. Hara, Y. Sagara, K. Sekimizu and T. Horiuchi (Japan)* 84

S′-subsite mapping of polyethylene glycol-modified α-chymotrypsin and α-chymotrypsin: a comparative study
*V. Čeřovský, D. Ullmann and H.-D. Jakubke (Czech Republic, Germany)* 91

Characteristics of 92 kDa type IV collagenase/gelatinase produced by granulocytic leukemia cells: structure, expression of cDNA in *E. coli* and enzymic properties
*T. Pourmotabbed, T.L. Solomon, K.A. Hasty and C.L. Mainardi (USA)* 97

Characteristic properties of retinal oxidase (retinoic acid synthase) from rabbit hepatocytes
*M. Tsujita, S. Tomita, S. Miura and Y. Ichikawa (Japan)* 108

Competing peroxidase and oxidase reactions in scopoletin-dependent $H_2O_2$-initiated oxidation of NADH by horseradish peroxidase
*P. Saikumar, A. Swaroop, C.K.R. Kurup and T. Ramasarma (India)* 117

Infrared spectroscopic studies of calcium binding to inhibited β-trypsins
*R.A. Buono, S.J. Prestrelski, M.N. Liebman and D.M. Byler (USA)* 124

*Erratum* 129

## *Review*

Red cell membrane protein band 4.2: phenotypic, genetic and electron microscopic aspects
*Y. Yawata (Japan)* 131

## *Regular Papers*


Cytosolic proteins of 21–23 kDa are methylated by kidney cortex membrane-associated C-terminal carboxyl methyltransferases
*D. Gingras and R. Béliveau (Canada)* 149

Simultaneous racemization and isomerization at specific aspartic acid residues in αB-crystallin from the aged human lens
*N. Fujii, Y. Ishibashi, K. Satoh, M. Fujino and K. Harada (Japan)* 157

Chemical modification of xylanase from alkalothermophilic *Bacillus* species: evidence for essential carboxyl group
*J. Chauthaiwale and M. Rao (India)* 164

The synthesis of a pyridyl analog of adenosylcobalamin and its coenzymic function in the diol dehydratase reaction
*T. Toraya, S. Miyoshi, M. Mori and K. Wada (Japan)* 169

α,β-Unsaturated carbonyl compounds: inhibition of rat liver glutathione *S*-transferase isozymes and chemical reaction with reduced glutathione
*C.-i. Chien, K.S. Kirollos, R.J. Linderman and W.C. Dauterman (USA)* 175

Assessment of homology with the helical mimicry algorithm
*C.M. Bositis, N. Craft, R.A. Lew, E.J. Fowlie, J. Queenan and R.E. Humphreys (USA)* 181

Amino-acid sequence of a trypsin/chymotrypsin inhibitor from giant taro (*Alocasia macrorrhiza*)
*M.E. Argall, J.H. Bradbury and D.C. Shaw (Australia)* 189

α-Crystallin: molecular chaperone and protein surfactant
*J.A. Carver, J.A. Aquilina, P.G. Cooper, G.A. Williams and R.J.W. Truscott (Australia)* 195

Resonance Raman spectroscopic studies of ligated mutant myoglobins
*D. Biram and R.E. Hester (UK)* 207

Transhydroxylase of *Pelobacter acidigallici*: a molybdoenzyme catalyzing the conversion of pyrogallol to phloroglucinol
*W. Reichenbecher, A. Brune and B. Schink (FRG, USA)* 217

Fluorescence dynamics of staphylococcal nuclease in aqueous solution and reversed micelles
*A.J.W.G. Visser, J. van Engelen, N.V. Visser, A. van Hoek, R. Hilhorst and R.B. Freedman (The Netherlands, UK)* 225

Functional properties of recombinant staphylokinase variants obtained by site-specific mutagenesis of methionine-26
*B. Schlott, M. Hartmann, K.-H. Gührs, E. Birch-Hirschfeld, A. Gase, S. Vettermann, D. Collen and H.R. Lijnen (Germany, Belgium)* 235

Purification of selenoprotein P from human plasma
*B. Åkesson, T. Bellew and R.F. Burk (USA)* 243

The regulation of alanine and aspartate aminotransferase by different aminothiols and by vitamin B-6 derivatives
*R. Pagani, R. Leoncini, L. Terzuoli, M. Pizzichini and E. Marinello (Italy)* 250

Primary structure of aspergillopepsin I deduced from nucleotide sequence of the gene and aspartic acid-76 is an essential active site of the enzyme for trypsinogen activation
*T. Shintani and E. Ichishima (Japan)* 257

Human α-galactosidase gene expression: significance of two peptide regions encoded by exons 1–2 and 6
*S. Ishii, R. Kase, H. Sakuraba, S. Fujita, M. Sugimoto, K. Tomita, T. Semba and Y. Suzuki (Japan)* 265

Novel structure of a Chinese hamster polyubiquitin gene
*M. Nenoi, K. Mita, S. Ichimura and I.L. Cartwright (Japan, USA)* 271

A novel glutathione *S*-transferase isozyme similar to GST 8-8 of rat and mGSTA4-4 (GST 5.7) of mouse is selectively expressed in human tissues
*S.S. Singhal, P. Zimniak, R. Sharma, S.K. Srivastava, S. Awasthi and Y.C. Awasthi (USA)* 279

Decorin and a large dermatan sulfate proteoglycan in bovine striated muscle
*K.H. Eggen, A. Malmstrøm and S.O. Kolset (Norway, Sweden)* 287

Functional and structural membrane topology of rat liver microsomal glutathione transferase
*C. Andersson, R. Weinander, G. Lundqvist, J.W. DePierre and R. Morgenstern (Sweden)* 298

*Cumulative Contents, Vol. 1204* 305

*Author Index* 307